

**ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ КОТЛОВ ДКВР РАБОТАЮЩИХ НА ЛУЗГЕ, ДРЕВЕСНЫХ ОТХОДАХ И
ФРЕЗЕРНОМ ТОРФЕ (МНОГОТОПЛИВНЫЕ).**

Тип котла номер компоновки	Паро-произв т/ч (МВт).	Раб. дав-е, МПа (кгс/ см2)	Темп. пара, °С.	КПД, %	Расх.топлива, кг/ч	Габариты (LxВxH), мм.	Масса, кг
ДКВр-2,5-13КШ 00.8002.104	2,5 (1,818).	1,3 (13)	194.	77,6	910	6190х 4468х 8400.	7650
ДКВр-2,5-13ПМ 00.8002.105	2,5 (1,818).	1,3 (13)	194.	82,3	905	7445х 4618х 5000.	8452
ДКВр-4-13КШ 00.8002.202	4,0 (2,91).	1,3 (13)	194.	77,6	1420	7460х 4468х 8400.	9420
ДКВр-4-13ПМ 00.8002.204	4,0 (2,91).	1,3 (13)	194.	80,85	1420	8745х 4532х 5125.	10525
ДКВр-4-13-250КШ 00.8002.203	4,0 (2,91).	1,3 (13)	250.	77,6	1420	7460х 4468х 8400.	10073

ДКВр-4-13-250ПМ 00.8002.205	4,0 (2,91).	1,3 (13)	250.	80,85	1420	8745x 4532x 5125.	10811
ДКВр-6,5-13КШ 00.8002.302	6,5 (4,73).	1,3 (13)	194.	76	2130	8526x 5093x 9000.	13276
ДКВр-6,5-13-250КШ 00.8002.302-01	6,5 (4,73).	1,3 (13)	250.	76	2130	8526x 5093x 9000.	13530
ДКВр-6,5-23-370КШ 00.8002.303-02	6,5 (4,73).	2,3 (23)	370.	76	2130	8526x 5093x 9000.	15820
ДКВр-6,5-13ПМ 00.8002.304	6,5 (4,73).	1,3 (13)	194.	80,85	2300	8526x 5093x 9000.	12989
ДКВр-6,5-13-250ПМ 00.8002.305	6,5 (4,73).	1,3 (13)	250.	80,85	2300	9770x 5275x 5020.	15242
ДКВр-6,5-23ПМ 00.8002.304-02	6,5 (4,73).	2,3 (23)	220.	80,85	2300	8526x 5093x 9000.	16908

ДКВр-6,5-23-370ПМ 00.8002.305-02	6,5 (4,73).	2,3 (23)	370.	80,85	2300	9770x 5275x 5020.	17078
ДКВр-10-13КШ 00.8002.402	10 (7,27).	1,3 (13)	194.	76	3355	10760x 5830x 10385.	17828
ДКВр-10-13-250КШ 00.8002.403	10 (7,27).	1,3 (13)	250.	76	3355	10760x 5830x 10385.	17970
ДКВр-10-23КШ 00.8002.402-01	10 (7,27).	2,3 (23)	220.	76	3355	10760x 5830x 10385.	19895
ДКВр-10-23-370КШ 00.8002.403-01	10 (7,27).	2,3 (23)	370.	76	3355	10760x 5830x 10385.	19998
ДКВр-10-13ПМ 00.8002.404	10 (7,27).	1,3 (13)	194.	79	3400	10110x 5830x 7100.	18476
ДКВр-10-13-250ПМ 00.8002.405	10 (7,27).	1,3 (13)	250.	79	3400	10110x 5830x 7100.	18731

ДКВр-10-23ПМ 00.8002.404-01	10 (7,27).	2,3 (23)	220.	79	3400	10110x 5830x 7100.	20565
ДКВр-10-23-370ПМ 00.8002.405-01	10 (7,27).	2,3 (23)	370.	79	3400	10110x 5830x 7100.	21463
ДКВр-10-39-440ПМ 00.8002.412	10 (7,27).	3,9 (39)	440.	79,6	4000	10840x 5830x 7100.	53860